

Index

Documents (in order of manual) Prefix

Startup Guide	ST
Introduction to Modula-2	M2
Implementation Guide	IG
Advanced Programming Guide	PG

Appendices

MRL Format Description	AA
Reserved Words and Symbols/Std. Idents	AB
ASCII Character Set	AC
Language Definition	AD
Bibliography	AE
Error Messages	AF

ITEM INDEXA

aborting SUBMIT files	IG-10, IG-16	assembler	PG-8
About This Manual	ST-1	compatible assemblers	PG-8
absolute variables	M2-28	data segment	PG-9
adaption	ST-10	definition module	PG-8
ADDRESS	M2-29, IG-56	external symbol access	PG-12
compatibility	M2-51	file	IG-9
ADR	M2-30, IG-56	function results	PG-12
ALLOCATE	M2-30	implementation module	PG-8
shared heap	PG-5	interfacing	PG-8
ampersand	M2-33	library searches	PG-13
arctan	IG-54	linking	PG-8
array	M2-42	module Moves	PG-17
ARRAY OF WORD		module template	PG-13
allowed substitutes	IG-26	name length	PG-9
byte bound index	IG-26	name translation table	PG-8, PG-9
array		syntax	PG-9
index		one byte parameters	PG-11
type	M2-42	Open Array Parameters	PG-11
compatibility	M2-43	ORG,DS,DB,DW usage	PG-10
multidimensional	M2-43	parameter order on stack	PG-11
onedimensional	M2-43	parameter passing	PG-11
string compatibility	M2-42	program	AA-1
type	M2-42	register usage	PG-12
ASCII	IG-60	REL to MRL conversion	PG-8
		sample	PG-15
		segment usage	PG-10
		variable access	PG-9, PG-10

assembly language interfacing ST-4
 assembly module template PG-13
 assigning standard procedures M2-26
 assignment compatibility M2-52
 atomic M2-40
 auto-search mechanism ST-5

B

backup ST-9
 basic tools IG-27
 see also Standard Library
 BDOS IG-96
 better efficiency
 CASE statement PG-29
 constant expressions PG-30
 strength reduction PG-30
 WITH statement PG-26
 BIOS IG-96
 BITSET M2-38
 bottleneck IG-35
 bugs ST-6
 building tools IG-27

C

cannot execute chain file IG-15
 CARDINAL M2-40
 range M2-35
 case sensitivity M2-31
 case statement
 constant expressions M2-60
 ELSE clause M2-60
 vertical bar ('|') M2-60
 CASE
 restrictions IG-25
 catchwords ST-2
 chaining PG-1, IG-61
 conversion PG-3
 heap start address PG-4
 linker error messages PG-4
 linking PG-4
 name of shared module PG-4
 shared data PG-3

chain AA-3
 end AA-3
 fixup value AA-3
 head AA-3
 processing AA-3
 CHAR M2-41
 constant M2-36
 range M2-41
 circular reference M2-20, IG-16
 commandline IG-5
 comment delimiter M2-33
 comments
 nested M2-33
 compatibility M2-51
 compatible M2-51
 compilation
 separate M2-16
 units M2-16
 compiler IG-8
 accepted REAL constant M2-39
 assembly language output IG-10
 description IG-8
 error messages AF-1, IG-8
 input IG-10
 intermediate files IG-10
 invocation IG-5
 listing IG-10
 output IG-10
 REAL constants IG-73
 switches IG-10
 verbose mode IG-10
 components M2-40
 configuration ST-9
 console IG-46
 constant expression evaluation M2-20,
 M2-34
 constant
 CARDINAL M2-35
 CHAR M2-36
 INTEGER M2-35
 set M2-38
 string M2-37
 Controls IG-64
 Conversions IG-70
 conversion
 file names IG-76

converter
 input IG-24
 output IG-24
 output file name IG-24
 switches IG-24
 translation table IG-24
 verbose mode IG-24
 ConvertReal IG-51, IG-73
 CopyFiles IG-36
 cos IG-54
 cross-imports IG-16
 currently logged drive ST-11
 see default drive
 customization ST-10
 standards ST-11
 suggestions ST-12

D

data segment PG-9
 DataPath ST-11
 DEALLOCATE M2-30
 shared heap PG-5
 debugging
 symbol map IG-15
 declaration M2-14
 declaration order M2-34
 declaration
 of pointers M2-15
 order M2-14, M2-34
 special cases M2-15
 default IG-76
 default drive ST-11, IG-77
 default file type IG-46
 default
 file name IG-76
 definition module M2-17
 designator M2-53
 device files IG-39
 see device
 device
 end of file IG-39
 printer IG-39
 disk full IG-7
 DISPOSE
 shared heap PG-5
 distribution disks ST-7
 contents ST-7

E

e (Euler's number) IG-54
 EBNF M2-3
 elements M2-4
 expressed in EBNF M2-5
 literalB M2-3
 macro definition M2-4
 nonterminal M2-4
 production M2-4
 repetition M2-3
 selection M2-3
 self-contained M2-4
 sequence M2-4
 symbol M2-3
 terminals M2-3
 enhancements ST-1
 environment M2-7, M2-13
 equivalent data structure M2-51
 error handler
 SeqIO IG-33
 error messages
 compiler AF-1
 commandline AF-10
 internal errors AF-9
 parts related AF-9
 pass 1 AF-1
 additional AF-6
 pass 2 & 3 AF-3
 pass 4 AF-8
 shorthand AF-19
 linker AF-11
 fatal ones AF-11
 warning AF-11
 MR AF-17
 runtime AF-15
 cannot exec. chain file AF-15
 out of memory AF-15
 REAL overflow AF-15
 unknown AF-15
 error
 correction IG-8
 messages (compiler) IG-9
 evaluation M2-53

exponent IG-73
 exponential functions IG-54
 restrictions IG-54
 EXPORT M2-8
 export list M2-11
 exported objects M2-7
 export
 from separate modules M2-11
 qualified M2-11
 special cases M2-15
 unqualified M2-11
 expression M2-53
 expression compatibility M2-51
 extension IG-46

F

fast memory transfer IG-93
 file/module name coincidence IG-10
 file name IG 77
 SeqIO IG-32
 file types IG-2, IG-77
 \$\$\$ IG-4
 COM IG-3
 DEF IG-2
 LST IG-3
 MAC IG-3
 MAP IG-3
 MOD IG-2
 MRL IG-3
 MSY IG-2
 R2M IG-4
 REF IG-3
 FileSys IG-79
 file
 error handling IG-33
 SeqIO IG-32
 buffer size IG-35
 closing IG-34
 delete IG-34
 input IG-33
 output IG-34
 reading IG-33
 rename IG-35
 write IG-34

Floating Point
 constants M2-39
 formal parameters M2-46
 FOR
 restrictions IG-25
 free list PG-5
 full disks IG-7
 FUNCTION M2-47
 see function procedure
 function procedure M2-47
 header M2-47
 parameter list M2-47
 result type M2-47
 return value type M2-47
 returning a result M2-47
 return value M2-64

G

generic M2-48
 GOTO M2-64
 see also RETURN, EXIT, HALT
 replacements M2-64

H

heap PG-1
 ALLOCATE IG-57
 DEALLOCATE IG-57
 initialisation IG-15
 sharing PG-1
 sharing the heap IG-15
 start address IG-14
 storage management IG-57
 hexadecimal M2-35
 hidden type
 definition M2-20

I

I/O redirection IG-46
 end IG-46
 start IG-46
implementation module M2-17, M2-7
 initialization M2-20
 order M2-20
 reimport M2-20
IMPORT M2-8, M2-10
 name conflicts M2-11
 of standard objects M2-15
 reimport M2-20
 special cases M2-15
 whole modules M2-10
independent compilation M2-7
initialization M2-14
initialization order IG-16
 see also circular reference
InOut IG-46
installation ST-10
 see customization
installation IG-19
 see also patcher
 standards ST-11
INT-CARD
 compatibility M2-51
 range M2-35
INTEGER
 range M2-35
interfaces M2-7
interface
 assembler PG-8
 other languages PG-8
intermediate files IG-4
introduction to Modula-2 M2-1
IX register PG-12

L

Label Declaration M2-34
language description M2-5
layer IG-27
library module M2-7, M2-17
library search PG-13
license agreement
 terms ST-6
 updates ST-6

linker

 circular reference IG-16
 code start address IG-14
 data start address IG-14
 error messages AF-11
 heap initialization IG-15
 heap start address IG-14
 initialization order IG-15
 input IG-14
 output IG-14
 output file name IG-15
 reserve space IG-15
 shared data module IG-15
 submit abort IG-16
 switches IG-14
 symbol map IG-15
 top of stack IG-16
 verbose mode IG-16
local module M2-16, M2-50
local variable M2-12
LongSets M2-45, IG-68
low level
 absolute variable M2-26
 machine access M2-26
 SYSTEM pseudo module M2-26
 type transfer M2-26

M

mantissa IG-73
manual
 parts ST-2
MathLib0 IG-53
MathLib IG-53
 arctan IG-54
 cos IG-54
 entier IG-55
 Error Handling IG-53
 exp IG-54
 ln IG-54
 power IG-54
 real IG-55
 sin IG-54
 sqrt IG-54

mixed operand types M2-56
Modula-2
 I/O M2-1
 low level facilities M2-2
 new concepts M2-1
 syntax M2-1
 text books ST-1
module M2-8
 body M2-14
 declaration M2-50
 export list M2-8
 import M2-10
 import list M2-8
 initialization M2-14
 local module M2-10
 scope control M2-9
 syntactic structure M2-8
 visibility rules M2-10
MODUS IG-27, IG-53
Moves IG-93
MRL AA-1
 chains AA-3
 format AA-1
 item AA-1
MR
 error messages AF-17
Murphy's Law M2-12
mutually importing modules M2-20

N

name conflicts M2-11
nesting IG-26
 LOOP IG-26
 scope IG-26
NEW
 shared heap PG-5
NIL
 compatibility M2-51
number base M2-35
 decimal M2-35
 hexadecimal M2-35
 octal M2-35

O

object file IG-3, IG-9
object oriented languages M2-24
objects
 compatibility M2-51
octal M2-35
opaque type M2-18
 definition M2-20
open array parameter M2-22
 access M2-22
 bounds M2-22
 elementwise access M2-22
 HIGH M2-22
 passing PG-11
 SIZE M2-22
operating system ST-4, IG-96
OpSys IG-96
option IG-5

P

packaging M2-26
parameter
 actual M2-46
 formal M2-46
 open array M2-47
 order on stack PG-11
 type compatibility M2-52
 value M2-46
 variable M2-46
Pascal M2-1
pass IG-8
patcher IG-19
 input IG-19
 output IG-19
 switches IG-19
pervasives M2-15
 redefinition M2-32
pointer M2-42
 base type M2-42
 forward reference M2-42
 type M2-42
portability IG-27

procedure declaration M2-46
 procedure type M2-24
 calling sequence M2-25
 declaration M2-24
 parameter list M2-25
 procedure variable M2-24
 see also procedure type
 procedure
 declaration M2-46
 visibility rules M2-9
 ProgPath ST-11
 program invocation IG-5
 program module M2-7, M2-16
 programming large systems M2-6
 pseudo-module M2-28
 pure data module PG-3
 see also shared data

Q

QualIdent M2-11
 qualified export M2-11
 qualified identifier M2-10

R

range
 CARDINAL M2-35
 CHAR M2-41
 INT-CARD M2-35
 INTEGER M2-35
 ReadLn
 EOL IG-40
 RealInOut IG-51
 RealTexts IG-45, IG-51
 REAL
 calculated digits IG-53
 constant
 compiler M2-39
 declarations M2-39
 in prog text IG-73
 conversion
 strings IG-73
 INTEGER IG-55
 Error Handling IG-53

REAL
 maximum value IG-52, IG-73
 minimum value IG-52, IG-73
 precision IG-53
 range IG-73
 record M2-43
 type M2-43
 variant
 closed M2-43
 declaration M2-43
 type transfer M2-44
 redefinition of std. idents IG-25
 reexport M2-11
 reference lister
 input IG-21
 left margin indent IG-21
 output IG-21
 page length IG-21
 printer output IG-21
 reference table suppression IG-21
 switches IG-21
 reimport M2-20
 REL AA-1
 REL - MRL converter
 error messages AF-17
 relocatable file ST-13, IG-3, IG-9
 replacements ST-10
 REQUEST PG-13
 requirements ST-5
 reserved words M2-32
 restrictions IG-25
 ARRAY OF WORD IG-26
 CASE Statement IG-25
 FOR Statement IG-25
 identifier length IG-26
 LOOP nesting IG-26
 priorities ST-5
 runtime error checking IG-26
 scope nesting IG-26
 std ident redefinition IG-25
 string constants IG-25
 structure size IG-25
 type transfers IG-25

-
- RETURN M2-64
 - return value M2-64
 - validity M2-64
 - runtime error checking
 - stack-heap collision IG-26
 - runtime library M2-28, ST-8
 - source IG-57

 - S**

 - sample compilation ST-7
 - sample compile and run session ST-12
 - scalar types M2-40
 - scope M2-9
 - scope control M2-9
 - search path ST-10
 - selector M2-53
 - self-contained M2-4
 - separate compilation M2-7, M2-16
 - reimport M2-20
 - separate module M2-16
 - SeqIO IG-32
 - delete file IG-34
 - error handling IG-33
 - file buffer size IG-35
 - file names IG-32
 - interface IG-38
 - reading IG-33
 - rename IG-35
 - writing IG-34
 - set
 - BITSET M2-45
 - bounds M2-38
 - constant M2-38
 - type M2-38
 - delimiters M2-45
 - elements M2-38, M2-45
 - size M2-38, M2-45
 - type M2-45
 - BITSET M2-38
 - variable incl/excl. M2-45
 - shared data PG-1
 - pure data module PG-3
 - signed M2-40
 - see INTEGER
 - signon message IG-6
 - sin IG-54
 - SIZE M2-30, IG-56
 - stack-heap collision detection IG-57
 - standard identifiers M2-32
 - see also pervasives
 - standard library IG-27
 - levels IG-27
 - standard procedure M2-48
 - and procedure variables M2-26
 - packaging M2-26
 - standard type
 - CARDINAL M2-40
 - CHAR M2-41
 - INTEGER M2-40
 - subranges M2-41
 - startup guide ST-1
 - Storage IG-57
 - see also SYSTEM
 - strength reduction PG-30
 - Strings IG-65
 - string
 - compatibility M2-51
 - compatible arrays M2-42
 - constant M2-37
 - control characters IG-4
 - delimiter M2-37
 - length IG-65
 - structured types M2-40
 - submit file ST-9
 - subrange M2-41
 - compatibility M2-51
 - support ST-6
 - support library M2-28
 - switch IG-5
 - symbol file IG-2, IG-4, IG-9
 - symbol map IG-15
 - symbol module ST-13
 - symbols M2-33
 - syntax M2-8
 - syntax error IG-8
 - SYSTEM M2-28, IG-28, IG-56
 - system configuration ST-8
 - System Description ST-5
 - system module M2-28
 - system requirements ST-5
 - SYSTEM
 - ADR IG-56
 - ALLOCATE IG-57
 - contents IG-56
 - DEALLOCATE IG-57
 - SIZE IG-56
 - storage management IG-57
 - TSIZE IG-56

T

tagfields IG-56
Terminal IG-29
text editor ST-9, IG-4
text stream IG-39
Texts IG-39
TEXT
 directed IG-39
 EOF IG-40
 EOL IG-39, IG-40
 EOT IG-39, IG-40
 input IG-40
 interpreted chars IG-40
 lazy I/O interface IG-39
 line end mark IG-39
 output IG-39
 possible operations IG-39
 predeclared streams IG-39
 program abort IG-40
 re-read last char IG-40
 Read IG-40
 read lines IG-40
 reading numbers IG-40
 string too short IG-40
 tab expansion IG-41
translation AA-1
translation table IG-24
trigonometric functions IG-54
TSIZE M2-30, IG-56
type transfer M2-27
 implementation restrictions M2-27
 variant record M2-44
type
 array M2-42
 pointer M2-42
 procedure M2-24
 record M2-43
 set M2-45
 subrange M2-41

U

unequality sign M2-33
universal parameter M2-23
universe M2-16
unqualified export M2-11
unqualifying import M2-10
unsigned M2-40
 see CARDINAL
unstructured types M2-40
 see scalar types
utility library IG-59

V

value parameter M2-46
VAR M2-46
variable
 at fixed address M2-28
 declaration M2-46
 existence M2-12
 parameter M2-46
 procedure M2-24
 see also procedure type
 storage allocation PG-20
vertical bar M2-33
visibility rules M2-9, M2-10

W

WORD M2-29, IG-56
 compatibility M2-51
WriteRealOct IG-51
al bar M2-33
visibility rules M2-9, M2-10

W

WORD M2-29, IG-56
 compatibility M2-51
WriteRealOct IG-51